




SCLC(RL) INT
P M K N S H


ISO	d	D _{min}	f	h	b	l ₁	D _c	λ _s °	γ°		kg		
A08H-SCLCR/L 06	8	11	6	7,2	7,6	100	-	-13	0	✓	0,03	GI045	SO2
S08F-SCLCR/L 06	8	11	6	7,2	7,6	80	-	-13	0		0,03	GI045	SO2
A10H-SCLCR/L 06	10	13	7	9	-	100	4	-10	0	✓	0,05	GI045	SO2
S10H-SCLCR/L 06	10	13	7	9	9,5	100	-	-10	0		0,06	GI045	SO2
A12K-SCLCR/L 06	12	16	9	11	-	125	5	-8	0	✓	0,10	GI045	SO1
S12K-SCLCR/L 06	12	16	9	11	11,5	125	-	-8	0		0,11	GI045	SO1
S16M-SCLCR/L 06	16	20	11	14,5	15	150	-	-8	0		0,24	GI045	SO1
A10K-SCLCR/L 08	10	12	6	9	9,5	125	4	-14	0	✓	0,10	GI232	SC22
A12M-SCLCR/L 08	12	16	9	11	11,5	150	5	-5	0	✓	0,24	GI232	SC22
A16R-SCLCR/L 08	16	20	11	14	15	200	6	-8	0	✓	0,29	GI232	SC22
A16M-SCLCR/L 09-A	16	20	11	14,5	-	150	6	-8	0	✓	0,22	GI041	SO5
S16M-SCLCR/L 09-A	16	20	11	14,5	15	150	-	-8	0		0,24	GI041	SO5
A20Q-SCLCR/L 09	20	25	13	18	-	180	8	-5	0	✓	0,40	GI041	SO8
S20S-SCLCR/L 09	20	25	13	18	18,5	250	-	-5	0		0,60	GI041	SO8
A25R-SCLCR/L 09	25	32	17	23	23	200	8	-3	0	✓	0,65	GI041	SO8
S25T-SCLCR/L 09	25	32	17	23	23	300	-	-3	0		1,15	GI041	SO8
A32S-SCLCR/L 12-A	32	40	22	30	30	250	8	-10	0	✓	1,35	GI011	SC20
S32U-SCLCR/L 12-A	32	40	22	30	30	350	-	-10	0		2,10	GI011	SC20

GI011	CC.. 1204..
GI041	CC.. 09T3..
GI045	CC.. 0602..
GI232	CC.. 0803..

SC20	US 5012-T15P	5,0	M5	12,2	SCN 120304	MS 5008	FLAG T15P	HXK 5
SC22	5513 020-04	1,5	M3	7,2	-	-	PT-8003	-
SO1	US 2506-T07P	0,9	M2,5	6,5	-	-	FLAG T07P	-
SO2	US 2505-T07P	0,9	M2,5	5,4	-	-	FLAG T07P	-
SO5	US 4008-T15P	3,5	M4	8,0	-	-	FLAG T15P	-
SO8	US 3510-T15P	3,0	M3,5	10,6	-	-	FLAG T15P	-