


6309

ČSN 222054
~ DIN 1880
~ ISO 2780/2586

FRÉZY VÁLCOVÉ ČELNÍ, jemnozubé
SHELL END MILLS, fine teeth
FRAISE CYLINDRIQUE (ROULEAUX), denture fine
ФРЕЗЫ ЦИЛИНДРИЧЕСКИЕ ТОРЦЕВЫЕ, мелкозубые




www.zps-fn.com



DIN 138 $\lambda=25^\circ$ $\gamma=12^\circ$ typ H

HSSE = litá HSS
cast HSS
HHS fondu
литая HSS



Použití / Usage / Domaines d'application / Употребление

1 2 3 4 5 6 7 8 9 10 11 12 13

D js 16	L	d H 7	Z	CODE
40	32	16	8	630973.040
50	36	22	10	630973.050
63	40	27	12	630973.063
80	45	27	14	630973.080
100	50	32	16	630973.100
125	56	40	18	630973.125
160	63	50	20	630973.160

Řezné podmínky

Materiál	Pevnost	A _p	A _e	V _c	fz(mm/z)				
					Ø 40	Ø 50	Ø 80	Ø 100	Ø 160
P.2 Konstrukční a lité oceli	≤ 850 N/mm ²	0,8x _{l1}	0,75xD	26	0.08	0.085	0.1	0.11	0.12
P.4 Zušlechťené oceli	≤ 900 N/mm ²	0,8x _{l1}	0,75xD	20	0.08	0.085	0.1	0.11	0.12
K.2 Litina (> 240 HB)	> 800 N/mm ²	0,8x _{l1}	0,75xD	17	0.08	0.085	0.1	0.11	0.12