



GFIL-R AXIAL
P M K N S H


ISO	$h=h_1$	b	l_1	a	t_{max}	D_{min}	D_{max}	kg		
GFIL 2525 M 03R 030017-A	25	25	150	3	9	17	30	0,75	GI143	GL07
GFIL 2525 M 03R 039024-A	25	25	150	3	9	24	39	0,75	GI143	GL07
GFIL 2525 M 03R 050033-A	25	25	150	3	9	33	50	0,75	GI143	GL07
GFIL 2525 M 03R 060043-A	25	25	150	3	9	43	60	0,75	GI143	GL07
GFIL 2525 M 03R 076053-A	25	25	150	3	9	53	76	0,75	GI143	GL07
GFIL 2525 M 03R 100070-A	25	25	150	3	9	70	100	0,75	GI136	GL08
GFIL 2525 M 03R 130090-A	25	25	150	3	9	90	130	0,75	GI136	GL08
GFIL 2525 M 03R 170110-A	25	25	150	3	9	110	170	0,75	GI136	GL08
GFIL 2525 M 04R 030017-A	25	25	150	3	9	17	30	0,75	GI170	GL07
GFIL 2525 M 04R 034021-A	25	25	150	4	9	21	34	0,75	GI170	GL07
GFIL 2525 M 04R 040026-A	25	25	150	4	11	26	40	0,75	GI170	GL07
GFIL 2525 M 04R 050032-A	25	25	150	4	11	32	50	0,75	GI170	GL07
GFIL 2525 M 04R 060042-A	25	25	150	4	11	42	60	0,75	GI170	GL07
GFIL 2525 M 04R 075052-A	25	25	150	4	11	52	75	0,75	GI170	GL07
GFIL 2525 M 04R 100070-A	25	25	150	4	12	70	100	0,75	GI137	GL08
GFIL 2525 M 04R 130090-A	25	25	150	4	12	90	130	0,75	GI137	GL08
GFIL 2525 M 04R 170110-A	25	25	150	4	12	110	170	0,75	GI137	GL08
GFIL 2525 M 04R 230140-A	25	25	150	4	12	140	230	0,75	GI137	GL08



GI136

LCM. 0316..

GI137

LCM. 0416..

GI143

LCM. 0313..

GI170

LCM. 0413..



GL07

US 5018-T20P

5,0

M5

18,2

FLAG T20P

-

GL08

US 6020-T25P

6,0

M6

20,2

-

SDR T25P