



GFIR-R AXIAL
P M K N S H


ISO	$h=h_1$	b	l_1	a	t_{max}	D_{min}	D_{max}	kg		
GFIR 2525 M 0313R 030017	25	25	150	3	9	17	30	0,70	GI143	GL02
GFIR 2525 M 0313R 039024	25	25	150	3	9	24	39	0,70	GI143	GL07
GFIR 2525 M 0313R 050033	25	25	150	3	9	33	50	0,70	GI143	GL07
GFIR 2525 M 0313R 060043	25	25	150	3	9	43	60	0,70	GI143	GL07
GFIR 2525 M 0313R 076053	25	25	150	3	9	53	76	0,70	GI143	GL07
GFIR 2525 M 0316R 100070	25	25	150	3	9	70	100	0,67	GI136	GL07
GFIR 2525 M 0316R 130090	25	25	150	3	9	90	130	3,54	GI136	GL07
GFIR 2525 M 0316R 170110	25	25	150	3	9	110	170	0,67	GI136	GL07


 GI136
GI143

 LCM. 0316..
LCM. 0313..

 GL02
GL07

 US 5015-T20P
US 5018-T20P

 5,0
5,0

 M5
M5

 15
18,2

 FLAG T20P
FLAG T20P